

**Notice of Allowability**

Application No.

10/621,925

Examiner

Jeremy C. Norris

Applicant(s)

BARR ET AL.

Art Unit

2841

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--**

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to Appeal Brief filed 7 June 2006.
2. ☒ The allowed claim(s) is/are 1-31.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some\* c) ☐ None of the:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
- (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
- 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
- (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date \_\_\_\_\_
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date \_\_\_\_\_
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_\_

## **DETAILED ACTION**

### ***Drawings***

The drawings were received on 21 March 2005. These drawings are acceptable.

### ***Allowable Subject Matter***

Claims 1-31 allowed.

The following is a statement of reasons for the indication of allowable subject matter: Claim 1 states the limitation "wherein the first voided area does not completely overlap the second voided area". This limitation, in conjunction with the other claimed features, was neither found to be disclosed in, nor suggested by the prior art. Claim 8 states the limitation "wherein the first orientation is offset from the second orientation". This limitation, in conjunction with the other claimed features, was neither found to be disclosed in, nor suggested by the prior art. Claim 15 states the limitation "wherein the first orientation is offset from the second orientation". This limitation, in conjunction with the other claimed features, was neither found to be disclosed in, nor suggested by the prior art. Claim 1 states the limitation "wherein the first voided area does not completely overlap the second voided area". This limitation, in conjunction with the other claimed features, was neither found to be disclosed in, nor suggested by the prior art.

Applicant's arguments, see Appeal Brief, filed 7 June 2006, with respect to claims 1-31 have been fully considered and are persuasive. The rejection of claims 1-31 has been withdrawn. Specifically, the Examiner is persuaded by Applicants argument that "impedance matching does not specifically teach or suggest that the first

Art Unit: 2841

voided area does not completely overlap the second voided area" (relevant to claims 1-7 and 24-31). And indeed, the ordinarily skilled artisan would not be motivated to modify the invention of US 6,710,258 B2 (Oggioni) in such a manner since "the Oggioni et al. patent figures illustrate that the voided areas are aligned". Similarly, there is no motivation to offset the first anti-pad orientation from the second anti-pad orientation (relevant to claims 8-23).

### ***Conclusion***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jeremy C. Norris whose telephone number is 571-272-1932. The examiner can normally be reached on Monday - Friday, 9:30 am - 5:30 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kamand Cuneo can be reached on 571-272-1957. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.


Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Application/Control Number: 10/621,925

Page 4

Art Unit: 2841

JCSN

  
HAMMAD GUNES  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 2800